






**MARBACH**

**MATERIALS & EQUIPMENT FOR  
PACKAGING PRODUCERS.**

**PACKAGING.  
PERFORMANCE.  
YOU.**



## MATERIALS & EQUIPMENT. SUITABLE FOR EVERYONE.

Marbach produces tools for the global packaging industry: Cutting dies, stripping and blanking tools for paperboard and corrugated board production. What many do not know: Marbach Die Supplies also offers a comprehensive range of materials and equipment.

The product portfolio of Marbach Die Supplies is very wide-ranging. It offers the right solution for every requirement.

From A like aluhammer. Over C as in channel grooves. F like finishing tape. To R like rubber strips. At Marbach, we have numerous materials and tools in our product range that are needed by a packaging producer.

The product range also includes Marbach developments that make your daily work easier: Nick setters, small tools, rule pullers, pliers, measuring devices as well as original spare parts for the maintenance of your tools. But also in-house developments such as mpower cutting rules or marbstrip claws are available from us. As a Marbach customer you will not only benefit from materials meeting your requirements but also from individual advice by your Marbach experts.

Use the materials of Marbach. Benefit from the decades of experience of the world market leader. For best performance in the production of your packaging.

All products from our catalog are available at Marbach Die Supplies: [supplies@marbach.com](mailto:supplies@marbach.com).

### Notes regarding this catalog:

Packaging units are subject to change | Marbach General Terms and Conditions apply ([marbach.com/en/daten/general-terms-and-conditions](http://marbach.com/en/daten/general-terms-and-conditions)) | Pictures without guarantee | Item properties may vary | Further items and designs on request.





<b>Make-ready materials</b>	<b>6</b>
<b>Counter plates</b>	<b>8</b>
rillma +	
Cutting plates	
<b>Cutting chase cover plates</b>	<b>12</b>
<b>Digital zone levelling &amp; mplatten cleaner</b>	<b>13</b>
<b>Nicks</b>	<b>14</b>
Grinding discs	
Nick grinder	
marbanick 2+	
Nick-changing-system	
<b>Handheld devices</b>	<b>16</b>
mcut multi	
mbend	
mcut round	
mcut matrix	
mrule extractor	
<b>Workbenches, lamps &amp; trimknife</b>	<b>18</b>
<b>Tools</b>	<b>20</b>
<b>Knifing</b>	<b>22</b>
Cutting rules	
Creasing rules	
Perforation rules. Combo perforation rules	
Tear perforation rules	
Special rules	
<b>Punches</b>	<b>34</b>
<b>Rubbering corrugated</b>	<b>36</b>
Flat cutting	
Rotary cutting	
<b>Rubbering paperboard</b>	<b>40</b>
<b>Accessories</b>	
Embossing	42
Crease plates	43
Braille	44
Steel and wooden bar	45
Stripping	46
Blanking	48
<b>Logistics</b>	<b>50</b>
MDSS	
<b>Quality control</b>	<b>52</b>
Crease bend tester	
marbapress	
Sample cutter	
Hydraulic press	



## MAKE-READY MATERIALS. SELF-ADHESIVE TAPES.

### Make-ready tape, paper

Name	Item no.	Version	PU
blue	03030	30μ, 3 mm width	40 pcs.
blue	05830	30μ, 6 mm width	25 pcs.
blue	12030	30μ, 12 mm width	12 pcs.
red	03050	50μ, 3 mm width	40 pcs.
red	05850	50μ, 6 mm width	25 pcs.
red	12050	50μ, 12 mm width	12 pcs.
yellow	03080	80μ, 3 mm width	40 pcs.
yellow	05880	80μ, 6 mm width	25 pcs.
yellow	12080	80μ, 12 mm width	12 pcs.

### Make-ready tape, stainless steel

Name	Item no.	Version	PU
stainless steel	07399	30μ, 6,5 mm width	10 m/roll
stainless steel	07401	50μ, 6,5 mm width	10 m/roll
stainless steel	07402	100μ, 6,5 mm width	10 m/roll



## MAKE-READY MATERIALS. TECHNICAL PAPERS.


### Make-ready paper

Item	Item no.	Type	Version	PU
silk paper, white	09735	sheets	30μ, 100 cm x 75 cm	1,000 pcs.

### Make-ready sheets, plotter foil and carbon paper

Item	Item no.	Type	Version	PU
make-ready sheet, 3-layers	14412	50 m roll	100μ, 122 cm width	1 pc.
make-ready sheet, 2-layers	14432	30 m roll	145μm, 152.4 cm width	1 pc.
plotter foil, one side matt	00591	30 m roll	90μ, 122 cm width	1 pc.
one-time carbon paper	07060	950 m roll	74.5 cm width	1 pc.
one-time carbon paper	17050	sheets	430 x 610 mm	1,000 pcs.





## COUNTER PLATES. rillma|+

Pertinax material rillma + *	Full format (1,070 mm x 1,070 mm)	PU
Thickness	Item no.	PU
0.30 mm	09645	1 plate
0.40 mm	09646	1 plate
0.45 mm	09643	1 plate
0.50 mm	09647	1 plate
0.55 mm	09681	1 plate
0.60 mm	09650	1 plate
0.65 mm	09602	1 plate
0.70 mm	09651	1 plate
0.75 mm	09644	1 plate
0.80 mm	09652	1 plate


Pertinax material rillma + *	Half format (1,070 mm x 535 mm)	PU
Thickness	Item no.	PU
0.30 mm	09653	1 plate
0.40 mm	09654	1 plate
0.45 mm	09683	1 plate
0.50 mm	09655	1 plate
0.55 mm	09810	1 plate
0.60 mm	09656	1 plate
0.65 mm	09611	1 plate
0.70 mm	09657	1 plate
0.75 mm	09615	1 plate
0.80 mm	09658	1 plate

\*without adhesive film; item available with adhesive film

### Accessories for rillma and steel counter plates

Item	Item no.	Version	PU
rillma pin standard	07094	5x18 mm; bevel max. 0.5 mm double-sided	1,000 pcs.
rillma pin plastic	08919	head Ø5.5 mm; base Ø8 mm; 21 mm long	100 pcs.
mecosol glue spray universal	07093	500 ml bottle	1 pc.
puller	07067	200 mm, grinded	1 pc.
puller	07156	200 mm, standard	1 pc.
steel counter plate socket	15013	for multiplex dies	100 pcs.
steel counter plate socket	14312	for duramar dies	100 pcs.
spring pins	07085	Ø6 mm x 20 mm, lightweight	500 pcs.
moose rubber rings**	07088	light grey, extra strong, Ø6 mm x 5 mm	1,190 pcs.
laminating film rillma	43027	roll 50 m x 1,050 mm x 40 µm	1 pc.

\*\*further rubber rings on request





## COUNTER PLATES. CUTTING PLATES.

We cut cutting plates to the contour you require. Suitable for one or more machines. Marbach cutting plates are available in different designs and degrees of hardness. Medium hard (35 HRC) and hard (48 HRC), in different thicknesses. For every requirement.

Packaging unit medium hard plates: 10 pcs. | Packaging unit hard plates: 5 pcs.  
Further versions as well as milled steel counter plates on request.

### Paperboard processing machines

	Item no.
76	M-4900
102	M-4900
104	M-4900
106	M-4900
130	M-4900
142	M-4900
145	M-4900
162	M-4900

### Corrugated board processing machines

	Item no.
1600	M-4900
1700	M-4900
2000	M-4900
2100	M-4900

Further sizes on request at [supplies@marbach.com](mailto:supplies@marbach.com).





## CUTTING CHASE. COVER PLATES.

With the cutting chase cover plates, you protect your make-ready sheet. And ensure optimum conditions in your platen area. For minimum make-ready times and maximum productivity.

Machine	Item no.	Thickness
102	M-0750	1 mm
104	M-0750	1 mm
106	M-0750	1 mm
130	M-0750	1 mm
142	M-0750	1 mm
145	M-0750	1 mm
162	M-0750	1 mm
1600	M-0750	6 mm
1700	M-0750	6 mm
2000	M-0750	6 mm
2100	M-0750	6 mm

### Accessories

Item	Item no.
Special bio cleaner (600 ml) for cutting chase cover plate "digital zone levelling"	07193

## Digital zone levelling. MAKE-READY TIME REDUCTION.

Compensation of machine-related tolerances

No zone make-ready necessary

Quick and easy to implement



The die-cutting machine is subject to tolerances caused by wear and tear. For this reason, it was previously necessary to fill worn out zones with make-ready paper when setting up an order. This effort was required for every single order. With digital zone levelling, the process is much more efficient. This zone make-ready only needs to be done once. And then holds on for months to come.

Item no.	Machine
M-0770	76-106
M-0770	130-145
M-0770	162
M-0770	1600
M-0770	1700
M-0770	2000
M-0770	2100

Increased machine productivity

Shorter make-ready times

Easy handling



## mplaten|cleaner. CLEAN DIE-CUTTING.

For maximum output when die-cutting. The mplaten|cleaner is a device for cleaning the die cutting machine platen. This enables the machine operator to clean the platen efficiently and increase the productivity of the machine. The mplaten|cleaner is easy to handle and inexpensive to purchase. Suitable for all flatbed corrugated board machines and various paperboard machines.


Item no.	Version
G-2254	mplaten cleaner
900246	cleaning pads
900247	grinding pads



## NICK GRINDING. GRINDING DISCS.

For the use of a nick grinder you need the appropriate grinding discs. Diamond for a long lifetime. Or the cheaper version mafix, for variety in all sizes. Our grinding discs are available with different hole diameters.

Grinding discs	mafix (50 mm/6 mm hole diameter)	Diamond (50 mm/6 mm hole diameter)
Thickness	Item no.	Item no.
0.2 mm	07002	912242
0.3 mm	07003	912243
0.4 mm	07004	912244
0.5 mm	07005	912245
0.6 mm	07006	912246
0.7 mm	07007	912247
0.8 mm	07008	912248
0.9 mm	07009	912249
1.0 mm	07010	912250
1.1 mm	07011	912251
1.2 mm	07012	912252
1.3 mm	07013	912253
1.4 mm	07014	912254
1.5 mm	07015	912255
1.6 mm	07016	912256
1.7 mm	07017	912257
1.8 mm	07018	912258
1.9 mm	07019	912259
2.0 mm	07020	912260
2.5 mm	07025	912261
3.0 mm	07000	912262



## Nick grinder.

THE EFFECTIVE ONE.

Transport nicks should be ground in. For maximum strength. We have the right solution for every requirement.

Item no.	Name
G-2135	nick grinder battery
G-2143	nick grinder electric
G-2136	spare battery for G-2135

further nick grinders available on request



## marbanick|2+.

THE FAST ONE.

For the subsequent optimization of waste nicks, the marbanick|2+ is the optimal solution. With its different impact levels, it combines the functionality of 3 devices in one. And impresses with its integrated quick-change function. And four different wedge sizes (0.3, 0.4, 0.5 and 0.6 mm). These features make the marbanick|2+ extremely flexible and cost-efficient.

Item no.	Name
34162	marbanick 2+



## Nick changing system.

THE FLEXIBLE ONE.

Flexibility is important when it comes to nicks. That's what the nick changing system for corrugated applications is for. With it, a cutting die can be perfectly set-up for different material characteristics in the least possible time.

**Note:** Special preparation of the cutting die is necessary.

Item no.	Name
04900	nick changing system case with accessories for flat corrugated
04900	nick changing system case with accessories for rotary corrugated





## mcut|multi.

THE ALLROUNDER.



An indispensable handheld device. 3 devices in one. Multi-functional and with digital gauge. The mcut|multi can not only cut rules, but also lips. And it can also notch. For rule materials from 2 pt to 3 pt. It cuts steel quickly and without deformation. And it does so with a very small footprint.



Item no.	Name
G-2920	mcut multi

## mbend.

THE MANIFOLD.

The mbend. A manual bending device for optimum bending processes. And for precisely bent rules. Robust, variable and easy to handle. For line thicknesses from 1.5 to 4 pt. And line heights from 8 to 50 mm. With an extensive range of standard bending forms. With the special scale, depth setting is quick and accurate. The possibility of locking ensures precise repeatability.



Item no.	Name
G-2330	mbend

## mcut|round.

THE DEFINED ONE.




Simple and clever. That is the mcut|round. This special hand-held device rounds off the ends of flat or rotary creasing rules in a defined manner. In consistent quality, from the first to the last creasing rule. This prevents the paperboard from bursting at the creasing ends. The mcut|round cuts radii of 3 or 5 mm. Its cutting elements are wear-resistant, and repeated regrinding is possible. The mcut|round stands for high durability and best creasing performance.

Item no.	Name
G-2730	mcut round

## mcut|matrix.

THE PRECISE ONE.



The mcut|matrix cuts creasing matrix. Fast, precise and safe. It is a flexible, ergonomic, very robust hand-held device that is perfectly adapted to the conditions in production. The infinitely variable gauge can be used for a wide variety of creasing geometries. Thus, it not only ensures exact cutting results, but also maximum flexibility. The special design of the mcut|matrix ideally reduces the required cutting force. For little effort when cutting creasing matrix.

Item no.	Name
G-2740	mcut matrix

## mrule|extractor.

THE SAFE ONE.



The rule puller mrule|extractor is indispensable as an effective helper on the die-cutting machine. It is used whenever damaged knives need to be safely removed from a cutting die and replaced with spare knives. With the mrule|extractor, rules are drawn easily, in a controlled, precise and safe manner. Safe for the user and safe for the cutting die. The optimum pre-requisite for a perfect fit of the replacement knives.

Item no.	Name
G-3300	mrule extractor

## mbench|smart.

THE CLEVER ONE.



<b>Item no.:</b>	G-2180
<b>Dimensions (lxwxh):</b>	1,500x700x1,100 mm (Back panel: 1,500 mm)
<b>Drawers:</b>	5 pcs., width > 1,000 mm
<b>Rear wall:</b>	with 6 shelves
<b>Work surface:</b>	anti-slip rubberized surface
<b>Wheels:</b>	lockable heavy duty wheels

Maximum flexibility and efficiency: With the mobile repair workstation mbench|smart you will be prepared for all situations. For reworking the cutting die, e.g. directly at the die-cutting machine. Its smooth-running heavy-duty wheels ensure safe and quick transport to its place of use. Due to the optional equipment with important rule processing devices such as the hand bender mbend or the multifunctional device mcut|multi for cutting to length, notching and lipping, it will become an indispensable companion in your production. The 5 integrated drawers offer plenty of space for your accessories. The rear panel includes 6 shelves for different cutting rules, easily accessible via a central access opening.

mbench|smart. Your mobile companion for fast and cost-saving on-site repair of your tools.


## LED WORK LIGHT.

THE FLEXIBLE ONE.

High luminosity

Flexibly adjustable

Best visibility at the workplace



Our special LED work light provides optimum illumination of your tool processing surface. With its strong luminosity of 1,250 lumens, the LED work light is very bright. And it does so with low energy consumption. In addition, it is very flexible: because it can be magnetically attached to any place on your work table and also has an arm that can be adjusted in all directions. This means that the LED light can always be used to optimally illuminate the desired area. For the best visibility when machining your tools.

Item no.	Name
G-51115	LED work light
G-51117	Power supply unit LED work light



<b>Item no.:</b>	G-2181
<b>Dimensions (lxwxh):</b>	1,340x1,340x1,000 mm
<b>Drawers:</b>	9 pcs., width > 1,000 mm
<b>Mounting plate:</b>	700x1,000 mm
<b>Work surface:</b>	steel plate and anti-slip rubberized surface
<b>Wheels:</b>	lockable heavy duty wheels

## mbench|pro.

THE UNIVERSAL ONE.


mbench|pro. The professional assembly table for your tool preparation. It is larger than the mbench|smart. And even more versatile. A complete workstation with assembly surface. In the 9 drawers you have plenty of space for accessories and important equipment for processing your cutting tools. Of course, the mbench|pro can also be equipped with the most important line processing equipment. And just like the mbench|smart, it has smooth-running heavy-duty wheels for maximum mobility.

The mbench|pro. Your mobile assembly table for maximum performance in your die preparation.

Available as single position or complete system

In 6 different heights

Including shimfoils & rubber



## trimknife|multi.

THE SPECIAL ONE.

trimknife|multi. Screw-on cut-off knives for special requirements in 6 different heights. trimknife|multi is the solution when the waste cut-off knives of the tool need to be replaced or extended. Available as a single item (cut-off knives) or as a complete set with cut-off knives including shimfoils, fastening screws, rubber material as well as a suitable screwdriver incl. bit for a cordless screwdriver.



Item no.	Name
04355	trimknife multi



# TOOLS.



## Scissors

Different versions of scissors. To cut rubber easily and safely.

- combo scissors, 190 mm length (13018)
- small scissors, 160 mm length (13109)

Item no.	Name
13018	combo scissors
13109	scissors small



## Bevelling scissors

Special scissors to cut crease channels and rubber in the right angle. With exchangeable spare blades (PU = Pack of 5).

Item no.	Name
15639	bevelling scissors



## Gripping pliers

Special gripping pliers with tip for quick and easy removal of rules or rubber. Also suitable for narrowest areas.

Item no.	Name
06099	gripping pliers DIN ISO 9655



## Aluminum hammer with exchangeable head

Aluminum hammer with interchangeable heads. For assembly of rules in folding carton dies. Optimal for mpower cutting rules and for creasing rules.

Item no.	Name
08498	Alu hammer Ø25 mm
00234	Set interchangeable heads



## Polyurethane hammer

Special polyurethane hammer for the assembly of rules in rotary corrugated board cutting dies. Robust, durable and for best force transmission. Very pleasant to handle due to its easy detachment from the rule.

Item no.	Name
08986	Ø50x125 mm 400 g
10071	Ø70x115 mm 710 g



## Rawhide hammer

Hammer with rawhide head for assembly of rules in rotary corrugated board cutting dies. Very tough. Dampens the load with every stroke. For high demands.

Item no.	Name
08497	Ø45x90 mm; 260g
08730	Ø52x105 mm; 380g
08370	Ø70x122 mm; 700g



## Pliers

Assembly pliers in different versions. Ideal for the assembly of cutting dies. In daily use at Marbach. The inexpensive alternative to rule pullers.

Item no.	Name
07067	Assembly pliers
04902	Assembly pliers long



## marbaglue

Adhesive for applying rubber on cutting dies. Available in different versions depending on requirements: 06092 for flat paperboard dies, 06093 for rotary corrugated dies and 06094 for flat and rotary corrugated dies.

Item no.	Name
06092	plug cap (paperboard)   20g
06093	twist cap (corrugated board)   20g
06094	twist cap (corrugated board)   50g



## Soft face hammer

Hammer with a special soft head for the assembly of very sharp cutting rules in folding box and corrugated board cutting dies.

Easily replaceable nylon spare heads available.

Item no.	Name
08366	Soft face hammer Ø25 mm
08495	Set interchangeable heads



## Aluminum hammer

Hammer with aluminum head for mounting rules in folding box and corrugated board cutting dies. Optimally suited for mpower cutting rules and for creasing rules.

Item no.	Name
08498	40x75 mm; 250 g
08499	40x100 mm; 350 g



## Adjustment fork

Adjustment fork for exact alignment of rules at the rule joints. Simple and quick. With impact protection.

Item no.	Name
10200	adjustment fork



# CUTTING RULES.

## PIECE BY PIECE. OR BY THE COIL.



For perfect die cutting results, the rule material is of great importance. The selection depends on your individual requirements.


Marbach has an extensive portfolio of rule materials. For every application and for every need. Whether short or long runs. No matter what needs to be die cut: Coated or uncoated material. Plastic or foam. The right rule for every application. Meter pcs. (all item numbers with "M" at the end) for manual and roll material for machine processing.

### mpower. The original.


A standard developed by Marbach. The mpower cutting rule. The trick: a rounded cutting tip that compensates tolerances and eliminates angel hair. Which is almost immune to overpressure. For the shortest make-ready times. Simply for maximum die cutting performance from the first to the last sheet.

Item no.*	Thickness	Chamfer	PU/Roll
01212	2pt	center bevel	100 m
01977	2pt	center bevel 42°	100 m
01986	3pt	center bevel	75 m
01252	3pt	long center bevel	75 m

\*item also available by the meter




### Cutting edge



#### Shaved cutting edge


Precisely processed.  
Reliable over many years.  
The standard.



#### Ground cutting edge


Precise cutting edges.  
Reduced cutting pressure.  
Penetrates easily through the material.

### Winding direction



#### Clockwise


The correct winding direction.  
For your bending machine.  
And your application. Clockwise.



#### Anti-clockwise


The correct winding direction.  
For your bending machine.  
And your application. Anti-clockwise.

### Cutting edge geometries




#### D - center bevel

The standard for cutting paperboard. Also available as side bevel.




#### D4 - long center bevel

For thick materials. The standard for corrugated board. Also available as side bevel.



#### 42° cutting angle

The cutting rule penetrates easily into the material. Lower cutting pressure is needed. The standard in America.



#### 52° cutting angle

The cutting rule is very robust. It has a long lifespan. The standard in Europe and Asia.

## mhard.

THE HARDENED ONE.



mhard has a hardened edge. The advantages of mhard: it distinguishes itself by providing a long lifespan and high stability. With little abrasion. The mhard is a great fit for medium runs.

Item no.*	Thickness	Chamfer	PU/Roll
00985	2pt	center bevel	100 m
01045	2pt	long center bevel	100 m
02505	3pt	center bevel	75 m
01073	3pt	long center bevel	75 m

\*item also available by the meter

## mpower|s.

THE DURABLE ONE.



mpower|s. For very special requests. mpower|s has the same cutting geometry as mpower. mpower|s is very hard and therefore resistant to abrasive wear and tear. This makes it very durable. Its main use: die-cutting of cosmetic packaging and corrugated board.

Item no.*	Thickness	Chamfer	PU/Roll
10084	2pt	center bevel	100 m
10085	3pt	long center bevel	75 m

\*item also available by the meter

## mgold.

THE SPECIAL ONE.



The special cutting rule mgold. Impressive hardness. mgold has a 42° cutting edge. Therefore it is very sharp and works perfectly for cut scores. mgold is optimal for long runs and critical material. Also for cutting metallized cartons and thin metal foils.

Item no.*	Thickness	Chamfer	PU/Roll
20010	2pt	center bevel; 55 HRC	100 m
20011	2pt	center bevel; 60 HRC	100 m

\*item also available by the meter

## mgold|+.

THE VERY SPECIAL ONE.



Like its little brother mgold, this cutting rule has a 42° edge. Due to this and its special coating, it is not only very sharp but also very hard and therefore suitable for the highest demands. It is extremely resistant to abrasion and is thus used when maximum tool life is required for die-cutting critical materials.

Item no.*	Thickness	Chamfer	PU/Roll
20020	2pt	center bevel; 60 HRC	100 m

\*item also available by the meter



## mhard|r.

Special rotary cutting rule for processing corrugated board. It protects the counter material and ensures waste-free die cutting. For best productivity. Available in different height and diameter versions.

Item no.	Name	PU
08430	1.42x25.40 mm   curved Ø487 mm; 8 TPI	30.5 m
08431	1.42x25.40 mm   straight; 8 TPI	30.5 m
08535	1.42x24.60 mm   straight; 8 TPI	30.5 m
08536	1.42x24.60 mm   curved Ø487 mm; 8 TPI	30.5 m
08533	1.42x23.80 mm   straight; 8 TPI	30.5 m
08534	1.42x23.80 mm   curved Ø487 mm; 8 TPI	30.5 m



## Perforation rule.

Rotary perforation rule for corrugated paperboard packaging. Ensures exact and easy folding of the blanks. And functional opening mechanisms.

Name
rotation-perforation rule; 1.42x23.8 mm; different gaps/cuts
rotation-perforation rule; 1.42x24.6 mm; different gaps/cuts
rotation-perforation rule; 1.42x25.4 mm; different gaps/cuts
other combinations on request.



## mhard|r+.

New generation of rotary cutting rules. Due to its unique knife hardening and its special corrugated grinding technology, the mhard|r+ cuts the corrugated board very easily. For a smooth die-cutting result – even with high grammages and heavy corrugated board.

Item no.	Name	PU
52911	1.42x25.40 mm   straight; 8 TPI	30.5 m
52914	1.42x25.40 mm   curved Ø487 mm; 8 TPI	30.5 m
52916	1.42x25.40 mm   curved Ø645 mm; 8 TPI	30.5 m
52913	1.42x26.40 mm   straight; 8 TPI	30.5 m
52917	1.42x26.40 mm   curved Ø487 mm; 8 TPI	30.5 m
52912	1.42x26.40 mm   curved Ø645 mm; 8 TPI	30.5 m



## Creasing rule.

Standard creasing rule for creasing thin corrugated board. For good creasing results. And functioning folding mechanisms.

Item no.	Name	PU
08208	22.80x1.42 mm   curved Ø487 mm	30.5 m
08269	22.10x1.42 mm   curved Ø487 mm	30.5 m
01466	23.00x1.42 mm	45.7 m
01467	23.10x1.42 mm	45.7 m



## Sawtooth rule.

Rotary cutting rule in special sawtooth version for processing corrugated board. Available in straight and curved versions.

Item no.	Name	PU
10682	1.42x25.80 mm   straight; 20 TPI	40.0 m
09404	1.42x25.80 mm   curved Ø487; 20 TPI	30.5 m



## Reduced body creasing rule.

Rotary creasing rule in special version for heavy corrugated board types. And double flute. Provides best results with 180° folds.

Item no.	Name	PU
08422	22.10x3.00x1.42 mm   curved Ø487 mm; flat head	30.5 m
08578	23.00x3.00x1.42 mm   curved Ø487 mm; flat head	30.0 m
08669	22.60x3.00x1.42 mm   straight; flat head	25.0 m
08468	23.00x3.00x1.42 mm   straight; flat head	25.0 m





## Creasing rules.


	Item no.	Thickness	Height	PU
<p>2pt (0.71mm)</p>	01359	2pt	23.20 mm	20 m
	01360	2pt	23.25 mm	20 m
	01361	2pt	23.30 mm	100 m
	01363	2pt	23.40 mm	100 m
	01365	2pt	23.50 mm	100 m
	01366	2pt	23.60 mm	100 m
	01368	2pt	23.80 mm	20 m
	on request	2pt	22.00-23.90 mm	20 m
<p>3pt (1.05mm)</p>	01425	3pt	22.60 mm	20 m
	01428	3pt	22.80 mm	20 m
	01405	3pt	23.00 mm	20 m
	01407	3pt	23.20 mm	20 m
	01408	3pt	23.30 mm	60 m
	01409	3pt	23.40 mm	50 m
	01410	3pt	23.50 mm	68 m
	01411M	3pt	23.60 mm	75 m
on request	3pt	21.50-23.90 mm	20 m	
<p>4pt (1.42mm)</p>	01306	4pt	21.70 mm	20 m
	01314	4pt	22.60 mm	20 m
	01483	4pt	22.80 mm	20 m
	01466	4pt	23.00 mm	20 m
	01468	4pt	23.20 mm	20 m
	on request	4pt	21.50-27.00 mm	20 m
<p>WRT    WFT</p>	on request	3/6pt	22.20-23.40 mm WRT/WFT	20 m
	on request	3/8pt	22.20-23.40 mm WRT/WFT	20 m


	Item no.	Thickness/ Name	Height x Thickness [mm]	PU
<p>Crease TT 2pt(0,71mm)</p>	50268	TT	23.60 mm x 2pt	20 m
	50267	TT	23.70 mm x 2pt	20 m
<p>Crease NT 2pt 2/1pt (0,71/0,36 mm) 2/1,5pt (0,71/0,53 mm)</p>	01544M	NT 2/1pt	23.00 mm x 2pt	20 m
	01545M	NT 2/1pt	23.10 mm x 2pt	20 m
	01546M	NT 2/1pt	23.20 mm x 2pt	20 m
	01548M	NT 2/1pt	23.30 mm x 2pt	20 m
	01562	NT 2/1pt	23.85 mm x 2pt	20 m
	04165	NT 2/1,5pt	23.60 mm x 2pt	20 m
	01527	NT 2/1,5pt	23.85 mm x 2pt	20 m
	on request	NT 2/1,5pt	23.85 mm x 2pt	20 m
<p>Headcrease</p>	08860	Headcrease	22.80 mm x 4/8pt	20 m
	10472	Headcrease	23.00 mm x 4/8pt	20 m
	08722	Headcrease	22.60 mm x 4/8pt	20 m
	50343	Headcrease	23.00 mm x 4/8pt	20 m
	50312	Multcrease	22.80 mm x 4/8pt	20 m
<p>Multcrease</p>	50311	Multcrease	23.00 mm x 4/8pt	20 m
	50307	Multcrease	22.60 mm x 4/8pt	20 m
	50308	Multcrease	22.80 mm x 4/8pt	20 m
	50315	Multcrease	23.00 mm x 4/8pt	20 m
	01168	Wave crease	22.40 mm x 3pt	20 m
<p>Wave crease</p>	01166	Wave crease	22.60 mm x 3pt	20 m
	01165	Wave crease	22.80 mm x 3pt	20 m
	01164	Wave crease	23.00 mm x 3pt	20 m
	01163	Wave crease	23.20 mm x 3pt	20 m



## Crease-cut combination rules. PERFORATION RULES.

Perforation rules are available in different versions. In the thicknesses 2pt, 3pt or 4pt. All rules are available by the meter. For completely individual perforations.

Perforation	Thickness	PU
	2pt	20 m
	3pt	20 m
	4pt	20 m

Combo-perforation	Thickness	PU
	2pt	20 m
	3pt	20 m
	4pt	20 m



## Tear perforation rules.

Tear perforation rules are available in different versions. Left or right. In thicknesses of 2pt or 3pt. For tear open mechanisms that work. All rules are available by the meter.

### Fishbone rule

Item no.	Thickness	Height	PU
10549M	2pt 3pt	23.80 mm	20 m
10548M	2pt 3pt	23.80 mm	20 m
10547M	2pt 3pt	23.80 mm	20 m
10540M	2pt	23.80 mm	20 m

further tear perforation rules on request



### Sharklinie

Item no.	Thickness	Height	PU
01446M	2pt	23.80 mm	20 m
01433M	3pt	23.80 mm	20 m
01892M	3pt	23.80 mm	20 m
01435M	3pt	23.80 mm	20 m

further tear perforation rules on request

## Wave rule.

Special rule with waved edge. This is used when the packaging should be equipped with safe cutting edges. For increased safety when finished products are assembled.



Item no.	Type	Thickness	Height	PU
01102	2.0 mm	3pt	23.80 mm	20 m
01102M	2.0 mm	3pt	23.80 mm	20 m
01101	3.5 mm	3pt	23.80 mm	20 m
01101M	3.5 mm	3pt	23.80 mm	20 m
01162	5.0 mm	3pt	23.80 mm	20 m
01162M	5.0 mm	3pt	23.80 mm	20 m

## Special geometric rule.



Further development of the wave rule for flat tools. Optimized cutting edge protection for users. Resulting in highest safety when assembling finished products. The cutting result is similar to a rotary cut packaging with mhardjr.



Item no.	Name	PU
01121	1.05x23.80 mm	20 m

## Deckle edge rule.

Special rule with edge for stamped outer contour. When cut with a deckle edge rule the produced packaging gets an attractive look and convinces with it's aesthetic look.



Item no.	Name	PU
01832M	1.05x23.80 mm	20 m
01934M	1.05x23.80 mm	20 m

## Special rule.

A special cutting knife for optimal reverse cutting of the paperboard material. Highly precise and very sharp. For tear mechanisms that not only work perfectly, but are also visually attractive.



Item no.	Name	PU
01995M	reverse cutting plate 12x 1,000 mm/ 0.8 mm/ 0.3 mm Angle 70°	ab 10 m
01997M	reverse cutting plate-perforations	on request





## HOLE PUNCHES. BENT CUTTING CIRCLES.


To cut perfect round circles, there are several options: Bent cutting circles or hole punches. For small diameters up to 10 mm, ready-made hole punches are the perfect solution. For diameters of 11 mm and more, we recommend bent mpower cutting circles made of hardened steel. With brass ejector and adjustable pressure spring.

Bent cutting circles	Item no.	Ø	Height
	02069	11	23.80 mm
	02022	12	23.80 mm
	02024	13	23.80 mm
	02026	14	23.80 mm
	02028	15	23.80 mm
	02030	16	23.80 mm
	02032	17	23.80 mm
	02870	18	23.80 mm
	02871	19	23.80 mm
	02865	20	23.80 mm
	02864	21	23.80 mm
	02863	22	23.80 mm
	02872	23	23.80 mm
	02862	24	23.80 mm
	02860	25	23.80 mm
	02866	26	23.80 mm
	02873	27	23.80 mm
	02867	28	23.80 mm
	02861	30	23.80 mm
	02875	31	23.80 mm
	02868	32	23.80 mm
	02874	34	23.80 mm
	02869	35	23.80 mm




Finished parts mpower


Hole punches Types	Item no.	Ø	Height
	02172	3	23.80 mm
	01145	4	23.80 mm
	01147	5	23.80 mm
	01149	6	23.80 mm
	01173	7	23.80 mm
	01177	8	23.80 mm
	01179	9	23.80 mm
	01183	10	23.80 mm
*on request available up to Ø23 mm			
	02799	1	23.80 mm
	02801	2	23.80 mm
	02803	3	23.80 mm
	02805	4	23.80 mm
	02807	5	23.80 mm
	02809	6	23.80 mm
	02811	7	23.80 mm
	02813	8	23.80 mm
	02815	9	23.80 mm
	02817	10	23.80 mm
**on request available up to Ø20 mm			



FB\*



G\*\*





## CORRUGATED BOARD RUBBERING.

### FORM PARTS FOR FLAT DIE-CUTTING.

Flat die-cutting of corrugated board requires a rubbering perfectly matched to the material. Our extensive rubber range ensures productivity in the production of your packaging. As sheet material, profiles or form parts.

#### Form parts

Item no.	Name	Dimensions	Hardness	Color
15819CF-10	cellrubber softpower	10x10x500 mm	20 shore	black
15819CF-10A	cellrubber softpower	10x10x500 mm	20 shore	black
03345CF-13	cellrubber softpower	13x13x500 mm	20 shore	black
03345CF-13A	cellrubber softpower	13x13x500 mm	20 shore	black
05089CF-10	flexpower s soft	10x10x500 mm	20 shore	white
05089CF-10A	flexpower s soft	10x10x500 mm	20 shore	white
05094CF-13	flexpower s soft	13x13x500 mm	20 shore	white
05094CF-13A	flexpower s soft	13x13x500 mm	20 shore	white
05097CF-10	flexpower h hard	10x10x500 mm	40 shore	white
05098CF-13	flexpower h hard	13x13x500 mm	40 shore	white
20013CF-10	elastomer PUR	10x10x658 mm	20 shore	yellow
20005CF-14	elastomer PUR	14x14x658 mm	20 shore	yellow

## CORRUGATED BOARD RUBBERING.

### PROFILES FOR FLAT DIE-CUTTING.

#### Profiles

Item no.	Name	Dimensions	Hardness	Color	Profile
03518	C3 flat	7x12.5x1,000 mm	60 shore	black	
03501	C3	7.5x12.5x1,000 mm	65 shore	red	
09399	profile rubber hard	9.1/7.0x5x1,000 mm	75 shore	white	
09398	profile rubber hard	8.5/7.5x5x1,000 mm	75 shore	white	
09397	profile rubber hard	11/9x5x1,000 mm	75 shore	white	
03512	profile rubber easy crease	8x15x600 mm	20 shore	black	
08162	profile rubber easy crease	9x15x600 mm	55 shore	black	
08161	profile rubber easy crease	11x15x600 mm	55 shore	black	
50185	C 14 Soft	14x12.5x1,000 mm	25 shore	red	
50185	G 2.5 - C11 soft red	11x12.5x1,000 mm	25 shore	red	
08670	C 9.5	9.5x10.5x600 mm	60 shore	black	
10969	profile Vulkollan®	14x14x530 mm	40 shore	yellow	
03450	profile Vulkollan®	10x10x480 mm	40 shore	yellow	
03542	wedge profile Vulkollan®	12x16x500 mm	40 shore	yellow	
03543	wedge profile Vulkollan®	14x16x500 mm	40 shore	yellow	
09241	clean-cut rubber	9x12 mm	55 shore	black	
09240	clamping strip for clean-cut rubber	17x4.4x1,000 mm		clear	



## CORRUGATED BOARD RUBBERING.

### FORM PARTS FOR ROTARY DIE-CUTTING.

When rotary die cutting corrugated board, the ejector function is particularly important. We know exactly which rubber should be used at which place. And have an extensive range of rubber materials. The choice is yours.

#### Form parts




Item no.	Name	Dimensions	Hardness	Color
15821C-1230	cellrubber softpower	12x12x30 mm	20 shore	black
15821C-1240	cellrubber softpower	12x12x40 mm	20 shore	black
15822C-1430	cellrubber softpower	14x14x30 mm	20 shore	black
15822C-1440	cellrubber softpower	14x14x40 mm	20 shore	black
15822CF-14	cellrubber softpower	14x14x500 mm	20 shore	black
15822CF-14A	cellrubber softpower	14x14x500 mm	20 shore	black
05095C-1230	flexpower s soft	12x12x30 mm	20 shore	white
05095C-1240	flexpower s soft	12x12x40 mm	20 shore	white
05096C-1430	flexpower s soft	14x14x30 mm	20 shore	white
05096C-1440	flexpower s soft	14x14x40 mm	20 shore	white
05109CF-25A	flexpower s soft	7x25x1,000 mm	20 shore	white
05089CF-25	flexpower s soft	10x25x1,000 mm	20 shore	white
05095CF-12	flexpower s soft	12x12x500 mm	20 shore	white
05096C-14	flexpower s soft	14x14x500 mm	20 shore	white
05038C-1630	flexpower s soft	16x16x30 mm	20 shore	white
05126C-0730	flexpower h hard	7x7x30 mm	40 shore	white
05107CF-16	flexpower h hard	16x16x500 mm	40 shore	white




## CORRUGATED BOARD RUBBERING.

### PROFILES FOR ROTARY DIE-CUTTING.

#### Profiles

Item no.	Name	Dimensions	Hardness	Color	Profile
09775M	cell Vulkollan® profil RG 50	10x12x500 mm	35 shore	yellow	
10940	crease profile rubber	6.35x20 mm	70 shore	black	
10941	crease profile rubber	6.99x20 mm	70 shore	black	
10942	crease profile rubber	7.50x20 mm	70 shore	black	
10943	crease profile rubber	8.50x20 mm	70 shore	black	
10945	crease profile rubber	9.65x20 mm	70 shore	black	
10947	crease profile rubber	9.40x20 mm	70 shore	black	
10948	crease profile rubber	8.00x20 mm	70 shore	black	
10969	profile Vulkollan®	14x14x530 mm	40 shore	black	










## RUBBERING PAPERBOARD. FORM PARTS & PROFILES FOR FLAT DIE-CUTTING.


When die-cutting paperboard, the rubbering plays an important role in the die-cutting process. Different cartonboard materials require different rubbering. For optimum functionality, the rubbering must be individually adapted to the requirements of the job. The rubbering materials used by Marbach are diverse. And all from carefully selected suppliers. Many even produced exclusively for us. This ensures a long service life and best functionality.

### Form parts

Item no.	Name	Dimensions	Hardness	Color
03044CF-07	moose rubber	7x7x500 mm	35 shore	grey
03007CF-07	Vulkollan®	7x7x500 mm	40 shore	yellow
03014CF-07	Vulkollan®	7x7x500 mm	55 shore	yellow
03074CF-07	cellrubber	7x7x500 mm	15 shore	black
05126CF-02	flexpower h hard	7x7x500 mm	40 shore	black


### Profiles

Item no.	Name	Dimensions	Hardness	Color	Profile
03431	profile cork	7x7x630 mm	65 shore	brown	
03429	profile rubber NRB	7,3x8x1,000 mm	70 shore	white	
03420	profile cork; R4,5 strongly rounded	7x7,3x640 mm	65 shore	brown	
03421	profile cork ; T-profile rounded	7x5x640 mm	65 shore	brown	
03139	profile cork; CD-profile rounded	7x7x630 mm	65 shore	brown	





## EMBOSSING.



### Shim foils

Pressure-resistant foils in defined thicknesses. For accurate and fast make-ready.

PU = 50 m roll

Item no.	Name
00670	0.05x600 mm
00673	0.10 x610 mm
00671	0.20x600 mm



### Torx screwdriver

Screwdriver for embossings and crease plates. Torx version. For best power transmission.

Item no.	Name
44212	Tx8
44211	Tx20
44215	Tx8x60



### Memo pin system

Special pins for archiving the embossing position in the blank.

PU = 100 pcs.

Item no.	Name
14065	M4x12 allen
14080	disc for M4
14059	M3x12 allen
14081	disc for M3
13040	M4x8 torx for 3 mm female plate
13041	M4x8 allen for 3 mm female plate
15005	memopin

## CREASE PLATES



### Flat screw sockets

Screw sockets for flat head screws. For secure fastening of crease plates. And easy positioning. In different versions.

Item no.	Name
13082	11.5/17.5/Ø8.0 mm
13089	11.5/17.5/Ø8.5 mm



### Flat screws and washers

Special screws for the assembly of crease plates. Torx version. Suitable for flat screw sockets item no. 13082 and 13089.

Item no.	Name
13040	M4x8 Torx
13041	M4x8 hexagonal
14085	disc 4x8x0.5 mm
44212	screwdriver Tx8



### Fitting pins and sockets

For crease plates with flat sockets and embossing register system.

Item no.	Name
14369	Marbach 5 mm pins Ø5x50 mm
55794	crease plate fixation
14176	drill socket, length 12 mm



### Countersunk screw sockets

Special countersunk screw sockets. Without pins. User-friendly and space-saving. No additional cutout in the crease plate necessary. For narrow places. And fast and easy positioning of the creasing plate.

Item no.	Name
55797	11.5/20/Ø8.0 mm



### Countersunk screws

Special countersunk screws for screwing crease plates. Torx version. With extremely flat head. Suitable for countersunk screw sockets item no. 55797.

Item no.	Name
42801	M4x10 Tx20
44211	screwdriver Tx20



### Brass sockets for crease plates

Sockets for mounting brass thread inserts of embossings into the crease plate. In two versions: M3 and M4.

Item no.	Name
14325	thread inserts M3
14326	thread inserts M4


## BRAILLE.



### Braille females

Standard marbabraille females in different versions. As a counter-part to marbasteel male embossings. For optimal shaping of braille dots. And an optimal braille result.

on request



### Elastomer segments

Elastic base as raw material. To be cut to size. For elastic embossing.

Item no.	Dimensions
09789	480x250x1.45 mm
09790	480x250x1.40 mm
09791	160x300x1.05 mm
09792	160x300x1.55 mm



### Screws and pins

Fixing elements for marbabraille females on the cutting die.

PU = 100 pcs.

Item no.	Name
14236	lens head screw M 3x5
06607	rectangular bolt 5x5x19.50 mm



### Shim foils

Pressure-resistant foils in defined thicknesses. For accurate and fast make-ready.

PU = 50 m roll

Item no.	Name
00670	0.05x600 mm
00673	0.10 x610 mm
00671	0.20x600 mm



### Adhesive foils

Double-sided adhesive film for lamination. For various purposes of application.

Item no.	Name
44011	0.10 mmx25 m
44101	0.13 mmx50 m
44012	0.20 mmx10 m
44103	0.25 mmx10 m
00586	magnetic foil 0.65x615 mmx30 m



### Digimes

Digital measuring device for determining the height of braille dots on the male die and on the paperboard. Fast and safe. According to DIN EN 15823.

- Measuring range: 0-10 mm
- Resolution: 0.01 mm
- Switching inch/mm

Item no.	Name
G-1750	Digimes



## STEEL AND WOODEN RAILS.

### Wooden rails multiplex natural, lower part stabilization

Item no.	Name	Application	Version	PU
L-HLZ25	25 mm	paperboard processing machines	15 mm   18 mm	50 pcs.
L-HLZ35	35 mm	paperboard processing machines	15 mm   18 mm	50 pcs.
L-HLZ50	50 mm	corrugated board processing machines	12 mm   15 mm	50 pcs.

### Steel rails, lower part stabilization

Item no.	Name	Application	Version	PU
L-STL25	25 mm	paperboard processing machines	4 mm   6 mm	50 pcs.
L-STL35	35 mm	paperboard processing machines	4 mm   6 mm	50 pcs.
L-STL50	50 mm	corrugated board processing machines	2 mm   3 mm   4 mm	50 pcs.

### Fixing elements for steel rails

Item no.	Name	Application	Version	PU
07481	mounting angle steel	rail fixation wood and steel		500 pcs.
13280	flat head screw	mounting steel rails (angle)	M6x12 mm	100 pcs.
00738	flat head screw	mounting wooden rails claw		100 pcs.
04986	drive-in nut	assembly lower part with angle	M5x8 mm	1,000 pcs.
13284	flat head screw	assembly lower part with angle	M5x10 mm	100 pcs.
14284	claw plastic	assembly with rails	25 mm	100 pcs.

### Cross stabilization SPD

Item no.	Name	Application	Version	PU
07483	stabilization tube	assembly with wooden rails	2,000 mm	25 pcs.
09158	clamping block standard	assembly pipe with female tool		100 pcs.
09157	clamping block end piece	assembly of pipe with female tool		100 pcs.
14163	lens head screw	assembly of clamping blocks	M5x30 mm	100 pcs.



# STRIPPING.



## Speed-Lift and Speed-Lift-S

Sheet lifter for stripping tools. Retrofittable. In 2 sizes. The Speed-Lift Precision drill drills the appropriate cut-outs.

\*PU = 500 pcs.

Item no.	Name
13045	Speed-Lift
13046	Speed-Lift Precision drill
13091	Speed-Lift-S
13092	Speed-Lift-S Precision drill



## Easy-Fix and Easy-Fix-S

Transport locks for tools. One-piece, making them fast and safe to handle. Available in the two versions Easy Fix (male and female stripper) and Easy Fix S (guillotine with tool).

PU = 1,000 pcs.

Item no.	Name
07450	Easy-Fix blue*
06900	Easy-Fix-S blue*

\*only as long as stock lasts



## Clamp

With Mastercut machines. Connects both guillotines. Ensures a safe transport and space saving storage.

PU = 100 pcs.

Item no.	Name
19000	Clamp



## Stripping claws

Unique. For dynamic stripping. The waste is held in place with the claw tips. And pressed through the lower tool. The special support technology in the lower tool ensures a controlled stripping of the waste. Available in various sizes. Left and right.

PU = 500 pcs.

Item no.	Name
09502	4 mm left
09503	4 mm right
09504	6 mm left
09507	6 mm right
09508	8 mm left
09509	8 mm right
09501	10 mm left
09511	10 mm right
09512	12 mm left
09513	12 mm right
09515	15 mm left
09516	15 mm right
09520	20 mm left
09521	20 mm right

further claw types on request



## Crown pins

They firmly fix the waste pcs.. And are used in places where a claw does not fit. Especially useful for tiny waste pieces. And small side waste. Available in various sizes.

PU = 1,000 pcs.

Item no.	Name
42421	1.8 mm
42422	3.0 mm
42423	5.0 mm



## Assembly aid

Simple. But effective. Special assembly aid for the assembly of crown pins. Or marbastrip claws.

PU = 1,000 pcs.

Item no.	Name
10456	Ø1.8 mm
10455	Ø2.2 mm
10458	Ø3.0 mm
10457	Ø5.0 mm
09708	claws



## Precision lower pin

Special precision lower pins for stable stripping processes in packaging production. It is manufactured extremely precisely from high-quality materials and is very accurate in position due to its narrow guide tolerances. Re-adjustment in the die-cutting machine is not necessary. For trouble-free and waste-free stripping processes.

PU = 50 pcs.

Item no.	Name
00278	standard (4 mm)
00277	reduced diameter (2 mm)



## Bottom pin

The standard bottom pin for stripping: 4 mm. And for the smallest waste parts, a special bottom pin. Turned down to 2 mm. So that even the smallest waste parts can be stripped safely and stably.

PU = 50 pcs.

Item no.	Name
10841	reduced diameter (2 mm)
10840	standard (4 mm)



## marbapoint

The precision set-up helper for a highly efficient stripping process. So set-up of the stripper in the cutting machine is easy as pie.

Item no.	Name
09966	marbapoint set
09984	marbapoint
09985	replacement battery
15048	recording socket
09971	magnet holder marbapoint



## marbafly

PU = 100 pcs.

Item no.	Name
08968	marbafly c
09232	marbafly s



## Foam cubes

For stable stripping: foam cubes as down holders. Self-adhesive. In various sizes. Just peel them off. Put in place. Done.

PU = 1 box

Item no.	Name
03248	30x40x40 mm (4,752 pcs./box)
03247	40x40x40 mm (3,600 pcs./box)
03246	75x40x40 mm (1,872 pcs./box)



## Spring elements longlife

Special spring elements for the Marbach stripping tool master-strip|plate. Telescopic version. Made of glass fibre reinforced plastic. Longlife. In 2 versions.

Item no.	Name
07711	longlife; thread
07712	longlife; pin

# BLANKING.



### Jogger tape

Jogger tapes for guiding the blanks during the blanking process. With steel insert. They ensure safe stacking of the blanks.

Item no.	Dimensions
14157	19.0 mm; 16.5 m
44030	25.4 mm; 16.5 m
07550	steel insert 12.7x0.10 mm; 5 m



### Center block

Center block for insertion into the blanking tool. Ensures fast and accurate positioning of the tool in the die-cutting machine. For fast set-up times.

Item no.	Name
07427	center block

PU = 100 pcs.  
further versions on request



### Distance element

Distance element for stripping and blanking tools. Provides best stability due to its extra large contact surface.

Item no.	Name
14425	bolt (30 mm)
50203	sleeve (30 mm)

PU = 100 pcs.



### Joggings

For optimum guidance of the separated blanks in the edge area. Lightweight, stable and inexpensive. Available in various lengths. Individually adaptable.

Item no.	Name
99072	standard
99073	version long
09927	version small

PU = 100 pcs.



### marbapusher|p

This presser is an all-rounder. It can be used for both presser plates and custom-shaped presser bars. And it saves storage space as it doesn't stand out on the back of the tool.

Item no.	Name
34160	longlife; marbapusher p

PU = 100 pcs.




### marbapusher|s

The Marbach telescopic presser. Lightweight, conomical and space-saving. Flush to the back of the tool. Fits even where there is little room.

Item no.	Name
34147	marbapusher s

PU = 100 pcs.



### Wood and rubber

Building tools like professionals. With original materials from Marbach. For blanking: 18 mm wood and 7 mm moose rubber. Well equipped for an efficient blanking process.

Item no.	Dimensions
00934	multiplex 1,500x1,120 mm
03044	moose rubber 1,000x500 mm



### lightblanker frame

Our universal frame. Stays in the machine. Available in various sizes. Fitting for all common machines with blanking station.

Item no.	Machine
M-7410	76-106
M-7410	130-145



### marbapusher-set

Pressers designed by Marbach. Lightweight, versatile and economical. Quick and safe assembly in seconds. Set of 25 pcs. with fitting keys. Without screws.

Item no.	Name
34159	marbapusher-set



### marbapusher

Pusher developed by Marbach for the selective fixation of waste areas. Lightweight, flexible to use and inexpensive. Quickly mounted and easy to handle.

Item no.	Name
34158	marbapusher

PU = 100 pcs.



### Pressers

Conventional pressers for male blankers. Usable with a bar. As a spot presser or in a presser plate. Stable, reliable and popular.

Item no.	Name
34148	spot presser
34149	for presser plate
34150	for presser bar




## MDSS. PERFECTLY STORED.

Good in-house logistics saves you time. Store your cutting dies in the Marbach die storage system (MDSS). The MDSS is available for flat and for rotary cutting dies.

In the MDSS the dies are stored safely, can be found quickly and are accessible at any time. Due to its modular design, it can be configured according to your individual requirements. Depending on the MDSS version, various handling systems are available to transport the dies quickly and safely to their place of use.

Item no.	Name
G-6000	modular system, price depends on number and size of cassettes or shell diameters





## CREASE BEND TESTER. MEASURING PAPERBOARD SAMPLES.

The packaging has to fit. To the product and to the filling process. For optimum packaging quality, you need a suitable control system. A system with which you can reliably measure the crease values and the folding resistance of a package. A system that makes no mistakes. A system that ensures maximum machine speeds and a smooth packaging process for your customers.


The crease bend tester is a quality assurance system for your entire packaging process: from the initial tests in the laboratory to continuous tests during packaging production. All the way to the final inspection before the packaging is delivered to your customer. But that's not all. The crease bend tester is also the device of choice for optimizing repeat orders and checking incoming material deliveries.

Item no.	Name
G-4100	crease bend tester



## SAMPLE CUTTER. CUT AND CREASE PAPERBOARD SAMPLES.

For an easy production of test samples for the crease bend tester it is recommended to use the sample cutter. With this, samples with the size 60 mmx25 mm can be cut. The sample cutter and suitable tools are equipped with a visual aid. This ensures the correct position for cutting the paperboard strips quickly and precisely.




Item no.	Name
G-4010	sample cutter

## HYDRAULIC PRESS. CREATE CREASED SAMPLES.

The hydraulic press allows you to easily create a number of creased samples with different specifications of creasing rules and creasing channels. After creasing, the visual control of the samples itself gives useful information about the characteristics of the material. The hydraulic unit of the press can create a pressure of up to 60 kN.



Item no.	Name
G-4040	hydraulic press



## **STRIPPING WITHOUT LOWER PINS.**

IT ALL DEPENDS ON THE CLAW.

Dynamic stripping. Without lower pins. With marbastrip claws.

The original. Only from Marbach. For maximum stripping performance.

[www.marbach.com](http://www.marbach.com)

Marbach Group  
Karl Marbach GmbH & Co. KG

Karl-Marbach-Straße 1  
74080 Heilbronn  
Germany  
phone +49 7131 918-450  
supplies@marbach.com  
www.marbach.com

**PACKAGING.  
PERFORMANCE.  
YOU.**

Marbach reserves the right to make changes without prior notice.

© Marbach 2021

Stand 01.10.2022